

DropsA

Lubrication Systems Specialists

HPM RANGE HIGH PRESSURE MANUAL GREASE PUMPS



HPM PUMPS 0132083

Manual grease pump 16 kg
 Outlet grease pressure 400 bar
 60 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:

1527075	Wheeled tank 16 kg
1527163	Follower plate Ø 220 mm with spring
1527187	1SC 1/4" hose F 1/4" – F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling



HPM PUMPS 0132084

Wheeled manual grease pump 16 kg
 Outlet grease pressure 400 bar
 60 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:


1527192	Wheeled tank 16 kg
1527163	Follower plate Ø 220 mm with spring
1527187	1SC 1/4" hose F 1/4" – F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling



HPM PUMPS 0132085

Wheeled manual grease pedal pump 16 kg
 Outlet grease pressure 400 bar
 40 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:

1527076	Wheeled tank 16 kg
1527072	Follower plate Ø 220 mm with spring
1527187	1SC 1/4" hose F 1/4" – F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling



HPM PUMPS 0132086

Manual grease pump for drums of 15 kg
 Outlet grease pressure 400 bar - 60 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:

0132090	Manual grease pump
1527156	Ø 280 mm drum lid
1527164	Follower plate Ø 265 mm with spring
1527187	1SC 1/4" hose F 1/4" - F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling

HPM PUMPS 0132087

Wheeled manual grease pump for drums of 15 kg
 Outlet grease pressure 400 bar - 60 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:

0132090	Manual grease pump
1527180	2-wheels trolley
1527156	Ø 280 mm drum lid
1527164	Follower plate Ø 265 mm with spring
1527187	1SC 1/4" hose F 1/4" - F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling

HPM PUMPS 0132088

Manual grease pump for drums of 18-30 Kg
 Outlet grease pressure 400 bar - 60 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:

0132090	Manual grease pump
1527157	Ø 320 mm drum lid
1527165	Follower plate Ø 310 mm with spring
1527187	1SC 1/4" hose F 1/4" - F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling

HPM PUMPS 0132089

Wheeled manual grease pump for drums of 18-30 kg
 Outlet grease pressure 400 bar - 60 g delivery each 10 cycles of the lever
 Max grease viscosity NLGI 2
 Composed by:

0132090	Manual grease pump
1527180	2-wheels trolley
1527157	Ø 320 mm drum lid
1527165	Follower plate Ø 310 mm with spring
1527187	1SC 1/4" hose F 1/4" - F 10X1 2.0 m length
1527073	Cock M-F 10x1 mm
1527074	200 mm rigid pipe and 4-jaws coupling

