


## COMPRESSED AIR FILTERS



**PRESSURE REGULATORS with pressure gauge**

Part Number	Thread	Regulation	Flow-rate
1527096	F-F 1/4"	0÷8 bar	2050 NI/min
1527097	F-F 1/2"	0÷8 bar	3200 NI/min
1527098	F-F 3/4"	0÷8 bar	6200 NI/min
1527099	F-F 1"	0÷8 bar	6200 NI/min

**PRESSURE REGULATORS with filter and pressure gauge**

Part Number	Thread	Regulation	Flow-rate	Filtration
1527100	F-F 1/4"	0÷8 bar	1650 NI/min	20 μ
1527101	F-F 1/2"	0÷8 bar	3000 NI/min	20 μ
1527102	F-F 3/4"	0÷8 bar	4500 NI/min	20 μ
1527103	F-F 1"	0÷8 bar	4500 NI/min	20 μ

**AIR LUBRICATOR**

Part Number	Thread	Regulation	Flow- rate
1527104	F-F 1/4"	-	2600 NI/min
1527105	F-F 1/2"	-	5600 NI/min
1527106	F-F 3/4"	-	8200 NI/min
1527107	F-F 1"	-	8200 NI/min

**PRESSURE REGULATORS with lubricating filter and pressure gauge**

Part Number	Thread	Regulation	Flow-rate	Filtration
1527154	F-F 1/4"	0÷8 bar	1100 NI/min	20 μ
1527155	F-F 1/2"	0÷8 bar	2500 NI/min	20 μ
1527108	F-F 3/4"	0÷8 bar	4300 NI/min	20 μ
1527109	F-F 1"	0÷8 bar	4300 NI/min	20 μ



To optimize the performance and the long life of the pneumatic equipment, we suggest using air without condensation, lubricated and at an adequate pressure.