

DropsA

Lubrication Systems Specialists

HPM HIGH PRESSURE MANUAL GREASE PUMPS



HPM PUMPS 0132083

Manual grease pump 16 kg
 Outlet grease pressure 400 bar
 60 g delivery each 10 cycles of the lever
 Composed by:

| | |
|---------|--|
| 1527075 | Wheeled tank 16 kg |
| 1527163 | Follower plate Ø 220 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |



HPM PUMPS 0132084

Wheeled manual grease pump 16 kg
 Outlet grease pressure 400 bar
 60 g delivery each 10 cycles of the lever
 Composed by:


| | |
|---------|--|
| 1527192 | Wheeled tank 16 kg |
| 1527163 | Follower plate Ø 220 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |



HPM PUMPS 0132085

Wheeled manual grease pedal pump 16 kg
 Outlet grease pressure 400 bar
 40 g delivery each 10 cycles of the lever
 Composed by:

| | |
|---------|--|
| 1527076 | Wheeled tank 16 kg |
| 1527072 | Follower plate Ø 220 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |



HPM PUMPS 0132086

Manual grease pump for drums of 15 kg
 Outlet grease pressure 400 bar
 60g delivery each 10 cycles of the lever
 Composed by:

| | |
|---------|--|
| 0132090 | Manual grease pump |
| 1527156 | Ø 280 mm drum lid |
| 1527164 | Follower plate Ø 265 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |

HPM PUMPS 0132087

Wheeled manual grease pump for drums of 15 kg
 Outlet grease pressure 400 bar
 60g delivery each 10 cycles of the lever
 Composed by:

| | |
|---------|--|
| 0132090 | Manual grease pump |
| 1527180 | 2-wheels trolley |
| 1527156 | Ø 280 mm drum lid |
| 1527164 | Follower plate Ø 265 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |

HPM PUMPS 0132088

Manual grease pump for drums of 18-30 Kg
 Outlet grease pressure 400 bar
 60g delivery each 10 cycles of the lever
 Composed by:

| | |
|---------|--|
| 0132090 | Manual grease pump |
| 1527157 | Ø 320 mm drum lid |
| 1527165 | Follower plate Ø 310 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |

HPM PUMPS 0132089

Wheeled manual grease pump for drums of 18-30 kg
 Outlet grease pressure 400 bar
 60g delivery each 10 cycles of the lever
 Composed by:

| | |
|---------|--|
| 0132090 | Manual grease pump |
| 1527180 | 2-wheels trolley |
| 1527157 | Ø 320 mm drum lid |
| 1527165 | Follower plate Ø 310 mm with spring |
| 1527187 | 1SC 1/4" hose F 1/4" – F 10X1 2.0 m length |
| 1527073 | Cock M-F 10x1 mm |
| 1527074 | 200 mm rigid pipe and 4-jaws coupling |

